Notice of Allowability	Application No.	Applicant(s)
	10/738,541	TAU ET AL.
	Examiner	Art Unit
	Gunyoung T. Lee	2875
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>07/27/2005</u> .		
2. X The allowed claim(s) is/are <u>1-16</u> .		
3. 🔀 The drawings filed on <u>04/05/2004</u> are accepted by the Examiner.		
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date (dentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendn	ė

DETAILED ACTION

Response to Amendment

- 1. Applicant's amendment filed on July 27, 2005 has been entered.
- Claims 1 and 14 have been amended.
- 2. The corrected or substituted specification was received on July 27, 2005.
- 3. The corrected or substituted abstract was received on July 27, 2005.

Allowable Subject Matter

- 4. Claims 1-16 are allowed.
- 5. The following is the examiner's statement of reasons for allowance:
- 6. Claim 1 is allowed because in part recites a table top water fountain having "a plurality of light emitting diodes (LEDs) mounted in a view area emitting light directed upward into the view area and into water dropping into the view area" and "a fiber optic light system mounted behind a scene board such that light generated therefrom is emitted laterally from the scene board into the view area wherein the light is reflected and refracted by the water dropping into the viewing area both laterally and vertically due to the upwardly directed light and the laterally directed light." This combination is not taught by the prior arts of record and improves the appearance of the table top water fountain.

7. Claim 14 is allowed because claim 14 is drawn to a method of illuminating a table top fountain having "upwardly directly light from a plurality of light emitting diodes (LEDs) in which light is transmitted directly upward into the waterfall" and "laterally directed light from a fiber optic light system", which is not taught by the prior arts of the record.

- 8. Claims 2-13 and 15-16 are allowed because of their dependency upon independent claims 1 and 14 respectively
- 9. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gunyoung T. Lee whose telephone number is (571) 272-8588. The examiner can normally be reached on 7:30 - 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra L. O'Shea can be reached on (571) 272-2378. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/738,541 Page 4

Art Unit: 2875

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

GTL 8/21/2005

Sandra O'Shea
Supervisory Patent Examiner
Technology Center 2800